Application No. 10/718,810

Application No. 10/718,810

Reply Office Action of June 13, 2006

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

SEP 1.2 2006

1. (Currently Amended) A door for a vehicle, comprising:

an outer panel;

an inner panel attached to the outer panel, the inner panel having a central opening defined by an inner edge; and

a base plate to which at least a window regulator module is assembled, a single piece element forming the entire base plate being formed of a single piece element and with the base plate having a peripheral edge adapted to be attached to the inner edge of the inner panel, such that the peripheral edge makes contact with the inner edge so as to cover an entire portion of that the base plate wholly covers the central opening of the inner panel.

- 2. (Currently Amended) The door for a vehicle according to claim 1, wherein the window regulator module and the a door glass are attached to the base plate.
 - 3. (Previously Presented) The door for a vehicle according to claim 2, further comprising:
 - a belt line reinforcement joined to an upper edge of the base plate.

Application No. 10/718,810 Amendment dated September 12, 2006

Reply to Office Action of June 13, 2006

4. (Previously Presented) The door for a vehicle according to claim 1, wherein the

peripheral edge of the base plate is attached to the inner edge of the inner panel so as to cover the

central opening from a vehicle compartment inner side of the inner panel.

5. (Previously Presented) The door for a vehicle according to claim 1, wherein the

peripheral edge of the base plate is attached to the inner edge of the inner panel so as to cover the

central opening from a vehicle compartment outer side of the inner panel.

6. (Previously Presented) The door for a vehicle according to claim 5, wherein the central

opening has a notched shape which gradually becomes narrower from an upper edge of the

central opening toward a lower side of the central opening.

7. (Original) The door for a vehicle according to claim 1, wherein the base plate has

substantially the same shape with that of the central opening of the inner panel.

8. (Cancelled)

9. (Previously Presented) The door for a vehicle according to claim 1 wherein the base

3

plate is located between the inner panel and the outer panel.

MRC/EJW/bad

Docket No.: 0649-0931P

Docket No.: 0649-0931P

- 10. (Previously Presented) The door for a vehicle according to claim 9, wherein the window regulator module and a door glass are attached to the base plate.
- 11. (Previously Presented) The door for a vehicle according to claim 9, further comprising: a belt line reinforcement joined to an upper edge of the base plate.

12. (Cancelled)

- 13. (Previously Presented) The door for a vehicle according to claim 9, wherein the base plate is attached to the inner panel so as to cover the central opening from a vehicle compartment outer side of the inner panel.
- 14. (Previously Presented) The door for a vehicle according to claim 9, wherein the central opening has a notched shape which gradually becomes narrower from an upper edge of the central opening toward a lower side of the central opening.
- 15. (Previously Presented) The door for a vehicle according to claim 9, wherein the base plate has substantially the same shape with that of the central opening of the inner panel.

Amendment dated September 12, 2006

Reply to Office Action of June 13, 2006

16. (Currently Amended) A door for a vehicle, comprising:

an outer panel;

a U-shaped inner panel attached to the outer panel, the inner panel having an inner edge

defining a central opening; and

a base plate to which at least a window regulator module is assembled, a single piece

element forming the entire base plate, formed of a single piece element and the base plate

having a peripheral edge adapted to be attached to the inner edge of the inner panel so as to cover

an entire portion of that the base plate wholly covers the central opening of the inner panel.

17. (Previously Presented) The door for a vehicle according to claim 1, wherein the inner

edge of the inner panel and the peripheral edge of the base plate are connected by screws.

18. (Previously Presented) The door for a vehicle according to claim 16, wherein the base

plate is located between the outer panel and the inner panel.

Docket No.: 0649-0931P